



KiarahTM Chem

Manufacturers of Industrial & Hygienic Cleaning Chemicals

VAT. No.: 4200197665 Reg. No.: 2002/015423/23

Johannesburg Branch

Tel: +2711 865 1199
+2711 865 1507
+2711 865 1508
Fax: +2711 865 3671
kiarah@enyuka.com

Unit 4
c/o Berry & Nederveen Rd
Roodekop
Germiston
Alberton

Durban Branch

Tel: +27 32 947 1949
Fax: +27 32 947 2278
e-mail:
kzn.m@kiarahchem.com

Unit 14
Acacia Park
Shakashead, Durban

PRODUCT CATALOGUE



HACCP



NRCS



VISIT OUR WEBSITE FOR MORE INFORMATION
www.kiarahchem.co.za

Contents

Respiratory





Safety - Respiratory Protection



CODE: PSR4251
TYPE: FFA1P1
MAXIMUM USE LEVEL:
ORGANIC VAPOURS UP TO 10 X OEL
PARTICULATES UP TO 4 X OEL

SUGGESTED APPLICATIONS:
SPRAY PAINT, PESTICIDES.



CODE: PSR8710
TYPE: FFP1
MAXIMUM USE LEVEL: 4 X TLV

SUGGESTED APPLICATIONS:
GRINDING, SANDING, SWEEPING, BAGGING,
WOOD-WORKING AND OTHER DUSTY OP-
ERATIONS.



CODE: PSR8810
TYPE: FFP1
MAXIMUM USE LEVEL: 4 X TLV

SUGGESTED APPLICATIONS:
SUGGESTED APPLICATIONS: GRINDING, SANDING,
SWEEPING, BAGGING,
WOOD-WORKING AND OTHER DUSTY
OPERATIONS.



CODE: PSR8812
TYPE: FFP1
MAXIMUM USE LEVEL: 4 X TLV

SUGGESTED APPLICATIONS:
GRINDING, SANDING, SWEEPING, BAGGING,
WOOD-WORKING AND OTHER DUSTY OP-
ERATIONS.



CODE: PSR8822
TYPE: FFP2
MAXIMUM USE LEVEL: 12 X TLV

SUGGESTED APPLICATIONS:
GRINDING, SANDING, ASBESTOS,
BAGGING, WOOD-WORKING, FOUNDRIES, MINING
AND OTHER DUSTY OPERATIONS.



CODE: PSR9322
TYPE: FFP2
MAXIMUM USE LEVEL: 12 X TVL

SUGGESTED APPLICATIONS:
GRINDING, SANDING, ASBESTOS, BAGGING,
WOOD-WORKING, FOUNDRIES, MINING,
OTHER DUSTY OPERATIONS.




CODE: PSR9332
TYPE: FFP3
MAXIMUM USE LEVEL: 50 X TVL

SUGGESTED APPLICATIONS:
GRINDING, SANDING, ASBESTOS,
BAGGING, WOOD-WORKING, FOUNDRIES, MINING
AND OTHER DUSTY OPERATIONS.



CODE: PSR9913
TYPE: FFA1P1
MAXIMUM USE LEVEL: 4 X TVL

SUGGESTED APPLICATIONS:
FOUNDRY OPERATIONS, LAB SETTINGS, AGRICUL-
TURE, PETROCHEMICAL
MANUFACTURING, UNDERCOATING



CODE: PSR9915
TYPE: FFP2
MAXIMUM USE LEVEL: 4 X TVL

SUGGESTED APPLICATIONS:
GLASS ETCHING, CHEMICAL MANUFACTURING, PAPER PRO-
CESSING, BREWING OPERATIONS, ALUMINIUM SMELTING.



CODE: PSR9925
TYPE: FFP2
MAXIMUM USE LEVEL: 12 X TVL

SUGGESTED APPLICATIONS:
WELDING, BRAZING, SOLDERING, TORCH CUTTING,
METAL POURING, GRINDING, SANDING, SWEEPING,
BAGGING, OTHER DUSTY/HOT OPERATIONS.



CODE: PSR9926
TYPE: FFP2
MAXIMUM USE LEVEL: 12 X TVL

SUGGESTED APPLICATIONS:
FOUNDRY OPERATIONS, LAB SETTINGS, AGRICUL-
TURE, PETROCHEMICAL
MANUFACTURING, UNDERCOATING.



CODE: PSR9928
TYPE: FFP2
MAXIMUM USE LEVEL: 12 X TVL

SUGGESTED APPLICATIONS:
WELDING, BRAZING, SOLDERING, TORCH CUTTING,
METAL POURING, GRINDING, SANDING, SWEEPING,
BAGGING, OTHER DUSTY/HOT,
FOUNDRY/PETROCHEMICAL OPERATIONS.



CODE: PSRK113
TYPE: FFP3
MAXIMUM USE LEVEL:
50 X TVL

SUGGESTED
APPLICATIONS:
GRINDING, SANDING,
ASBESTOS, BAGGING, WOOD-
CUTTING,
FOUNDRIES, MINING AND
OTHER DUSTY
OPERATIONS.



CODE: PSRK112
TYPE: FFP2
MAXIMUM USE LEVEL:
12 X TVL

SUGGESTED APPLICATIONS:
GRINDING, SANDING,
ASBESTOS, BAGGING, WOOD-
CUTTING,
FOUNDRIES, MINING AND OTHER
DUSTY OPERATIONS.



CODE: PSR504
250MM X 200MM ALCOHOL FREE TOWELETTES. USE FOR CLEANING FACE PIECES.



CODE: PSR774
(LEFT) RETAINER
CODE: PSR7725
(RIGHT) PREFILTER



CODE: PSR2128
TYPE: P2
USE FOR PROTECTION AGAINST PARTICULATES UP TO 10 X OEL NUISANCE LEVEL ORGANIC VAPOUR AND ACID GAS RELIEF.



CODE: PSR3110 S/M
CODE: PSR3200 M/L
THE 3M 3000 RESPIRATOR IS AVAILABLE IN TWO SIZES AND FEATURES AND ELASTOMERIC FACE SEAL WITH A SINGLE PARTICULATE, ORGANIC GAS AND VAPOUR OR COMBINATION FILTER.



CODE: PSR2135
TYPE: P3
USE FOR GRINDING, SANDING, ASBESTOS, WOOD-WORKING, FOUNDRIES AND MINING UP TO 20 X OEL.



CODE: PSR2138
TYPE: P3
USE FOR PROTECTION AGAINST PARTICULATES UP TO 20 X OEL AND NUISANCE LEVEL ORGANIC VAPOUR RELIEF.



CODE: PSR3500
AIR MONITORING SYSTEM
ORGANIC VAPOUR

THE ECONOMICALLY ACCURATE 3M PSR3500 IS YOUR WORKPLACE AIR MONITORING ANSWER. SIMPLE AND EFFECTIVE DEVICES THAT COLLECT CERTAIN AIRBORNE CONTAMINANTS. USING THE SCIENTIFIC PRINCIPLE OF DIFFUSION, THEY MEET OR EXCEED FEDERAL 25% ACCURACY AT A 95% CONFIDENCE LEVEL FOR MANY WORKPLACE CONTAMINANTS.



CODE: PSR3351
TYPE: A1
GAS AND VAPOUR CARTRIDGE



CODE: PSR3391
TYPE: A1 P2R
GAS AND VAPOUR CARTRIDGE WITH PRE-ATTACHED FILTER



CODE: PSR3700
PARTICULATE FILTER HOLDER



CODE: PSR3721
AIR MONITORING SYSTEM
FORMALDEHYDE

THE ECONOMICALLY ACCURATE 3M PSR3721 MONITOR YOUR WORKPLACE AIR MONITORING ANSWER. SIMPLE AND EFFECTIVE DEVICES THAT COLLECT CERTAIN AIRBORNE CONTAMINANTS. USING THE SCIENTIFIC PRINCIPLE OF DIFFUSION, THEY MEET OR EXCEED FEDERAL 25% ACCURACY AT A 95% CONFIDENCE LEVEL FOR MANY WORKPLACE CONTAMINANTS.



CODE: PSR3551
AIR MONITORING SYSTEM
ETHYLENE OXIDE

THE ECONOMICALLY ACCURATE 3M PSR3551 MONITOR YOUR WORKPLACE AIR MONITORING ANSWER. SIMPLE AND EFFECTIVE DEVICES THAT COLLECT CERTAIN AIRBORNE CONTAMINANTS. USING THE SCIENTIFIC PRINCIPLE OF DIFFUSION, THEY MEET OR EXCEED FEDERAL 25% ACCURACY AT A 95% CONFIDENCE LEVEL FOR MANY WORKPLACE CONTAMINANTS.



CODE: PSR5935
TYPE: P3
USE FOR GRINDING, SANDING ASBESTOS, WOOD-WORKING, FOUNDRIES, MINING AND AS PRE-FILTER IN GAS AND VAPOUR COMBINATIONS.




CODE: PSR3728
PARTICULATE FILTER P2R AND RELIEF FROM NUISANCE LEVEL ORGANIC VAPOUR/ACID GASES




CODE: PSR5925
TYPE: P2
USE FOR GRINDING, SANDING ASBESTOS, WOOD-WORKING, FOUNDRIES, MINING AND AS PRE-FILTER IN GAS AND VAPOUR COMBINATIONS.



CODE: PSR6038
TYPE: P3
USE FOR PROTECTION AGAINST PARTICULATES UP TO 10 X OEL ON A HALF FACE MASK AND UP TO 100 X OEL ON A FULL FACE MASK.



CODE: PSR6051
TYPE: A1
USE FOR PROTECTION AGAINST ORGANIC VAPOURS; USED IN INDUSTRIES SUCH AS VEHICLE AND AIRCRAFT MANUFACTURE, WHERE CONVENTIONAL PAINT IS USED AND ADHESIVE MANUFACTURE AND USE.




CODE: PSR6054
TYPE: K1
USE FOR PROTECTION AGAINST AMMONIA AND METHYLAMINE UP TO 10 X OEL.



CODE: PSR6059
TYPE: ABE1
USE FOR PROTECTION AGAINST ORGANIC INORGANIC VAPOURS AND ACID GASES AND AMMONIA UP TO 10 X OEL.



CODE: PSR6055
TYPE: A2
USE FOR PROTECTION AGAINST ORGANIC VAPOURS UP TO 10 X OEL.



CODE: PSR6057
TYPE: ABE1
USE FOR PROTECTION AGAINST ORGANIC INORGANIC VAPOURS AND ACID GASES UP TO 10 X OEL.



CODE: PSR6300
THESE FACE PIECES CAN BE USED WITH 3000 SERIES CARTRIDGES, FILTERS, INSERTS AND RETAINERS. NOTE: THESE FACE PIECES ALSO CAN BE USED AS A DUAL CARTRIDGE SUPPLY AIR RESPIRATOR SYSTEM. FACE PIECES AVAILABLE IN DIFFERENT SIZES.



CODE: PSR6075
TYPE: FORMALDEHYDE
USE FOR PROTECTION AGAINST FORMALDEHYDE UP TO 10 X OEL.



CODE: PSR6096
TYPE: MERCURY
USE FOR PROTECTION AGAINST MERCURY VAPOUR AND PARTICULATE UP TO 10 X OEL.



Respiratory protection



Respirators protect workers against insufficient oxygen environments, harmful dusts, fogs, smokes, mists, gases, vapors, and sprays. These hazards may cause cancer, lung impairment, diseases, or death

DESIGNED BY: NTSIKELELO NDLOWU



CODE: PSR6800

THESE FACE PIECES CAN BE USED WITH 6000 SERIES CARTRIDGES, FILTERS, ADAPTERS AND RETAINERS. NOTE: THESE FACE PIECES ALSO CAN BE USED AS A DUAL AIRLINE SUPPLIED AIR RESPIRATOR SYSTEM. FACE PIECES AVAILABLE IN DIFFERENT SIZES.



CODE: PSRM-400

M-400 SERIES HELMETS WITH SHROUDS FOR RESPIRATORY, EYE, FACE AND HEAD PROTECTION WITH ADDITIONAL NECK AND SHOULDER COVERAGE.



CODE: PSRHT-707

THE HELMET FEATURES A HEAT RESISTANT SHELL.



CODE: PSRM-100

M-100 SERIES FACE SHIELDS ARE LIGHTWEIGHT, COMPACT AND WELL-BALANCED THAT OFFER INTEGRATED PROTECTION FROM A RANGE OF RESPIRATORY, EYE, FACE AND HEARING HAZARDS.



CODE: PSRS-333G

3M POWERED AIR PURIFYING RESPIRATORY SYSTEMS PROVIDE COMFORTABLE, EFFICIENT POWERED AIR PROTECTION. THESE SYSTEMS ARE AVAILABLE IN A WIDE RANGE OF HEADGEAR. THEY USE INTERCHANGEABLE FILTERS, CARTRIDGES AND CANISTERS TO PROTECT THE WEARER AGAINST GASES, VAPOURS AND/OR PARTICULATES.



CODE: PSRS-533

3M POWERED AIR PURIFYING RESPIRATORY SYSTEMS PROVIDE COMFORTABLE, EFFICIENT POWERED AIR PROTECTION. THESE SYSTEMS ARE AVAILABLE IN A WIDE RANGE OF HEADGEAR. THEY USE INTERCHANGEABLE FILTERS, CARTRIDGES AND CANISTERS TO PROTECT THE WEARER AGAINST GASES, VAPOURS AND/OR PARTICULATES.



CODE: PSRS-657

3M POWERED AIR PURIFYING RESPIRATORY SYSTEMS PROVIDE COMFORTABLE, EFFICIENT POWERED AIR PROTECTION. THESE SYSTEMS ARE AVAILABLE IN A WIDE RANGE OF HEADGEAR. THEY USE INTERCHANGEABLE FILTERS, CARTRIDGES AND CANISTERS TO PROTECT THE WEARER AGAINST GASES, VAPOURS AND/OR PARTICULATES.



CODE: PSRV500

THE MOST COMFORTABLE AND VERSATILE SUPPLIED-AIR SYSTEM FOR FACEPIECES.



CODE: PSR7502

THESE FACE PIECES CAN BE USED WITH 6000 SERIES CARTRIDGES, FILTERS, ADAPTERS AND RETAINERS. NOTE: THESE FACE PIECES ALSO CAN BE USED AS A DUAL AIRLINE SUPPLIED AIR RESPIRATOR SYSTEM. FACE PIECES AVAILABLE IN DIFFERENT SIZES.



DUSTMASTER

A 3M DUSTMASTER POWERED AIR PURIFYING RESPIRATOR IS DESIGNED TO DEAL WITH DUSTS, MISTS, FUMES AND AEROSOLS PRODUCED IN THE WORKPLACE, WHICH CAN BE INJURIOUS TO THE LUNGS.



JUPITER

THE 3M JUPITER UNIT CAN BE ATTACHED TO A WIDE RANGE OF HEADTOPS. THIS FLEXIBLE APPROACH ALLOWS YOU TO SELECT THE RIGHT HEADTOP AND CARTRIDGES TO PERFORM YOUR CHOSEN TASK.



CODE: PSRM-300

M-300 SERIES HELMETS ARE LIGHTWEIGHT, COMPACT AND WELL-BALANCED AND OFFER INTEGRATED PROTECTION FROM A RANGE OF RESPIRATORY, HEAD, EYE, FACE AND HEARING HAZARDS.



CODE: PSRS-433

3M POWERED AIR PURIFYING RESPIRATORY SYSTEMS PROVIDE COMFORTABLE, EFFICIENT POWERED AIR PROTECTION. THESE SYSTEMS ARE AVAILABLE IN A WIDE RANGE OF HEADGEAR. THEY USE INTERCHANGEABLE FILTERS, CARTRIDGES AND CANISTERS TO PROTECT THE WEARER AGAINST GASES, VAPOURS AND/OR PARTICULATES.



CODE: PSRS-655

3M POWERED AIR PURIFYING RESPIRATORY SYSTEMS PROVIDE COMFORTABLE, EFFICIENT POWERED AIR PROTECTION. THESE SYSTEMS ARE AVAILABLE IN A WIDE RANGE OF HEADGEAR. THEY USE INTERCHANGEABLE FILTERS, CARTRIDGES AND CANISTERS TO PROTECT THE WEARER AGAINST GASES, VAPOURS AND/OR PARTICULATES.



CODE: PSRS200

FOR USE WITH ANY OF THE 3M RANGE OF BAYONET FACEPIECES: 6000 & 7000 FULL & HALF-MASKS. ADJUSTABLE AIRFLOW CONTROL AT THE WAIST (140-300) OVER A RANGE OF INPUT PRESSURE (3-7 BAR).



FFP1 & FFP2

FFP1 CODE: PSRS200
 FFP2 CODE: PSRS200

FEATURES: HIGH EFFICIENCY
 - HIGH EFFICIENCY
 - LOW BREATHING RESISTANCE
 - LIGHTWEIGHT AND COMFORTABLE
 - HIGHLY DURABLE

ADVANTAGES:
 - HIGH EFFICIENCY
 - LOW BREATHING RESISTANCE
 - LIGHTWEIGHT AND COMFORTABLE
 - HIGHLY DURABLE



FFP2V & FFP3V

FFP2V CODE: PSR331330
FFP3V CODE: PSR331335

- FEATURES FFP2V/FFP3V
- HIGH FILTER EFFICIENCY
- LOW BREATHING RESISTANCE
- ADJUSTABLE HEAD HARNESS
- LIGHTWEIGHT, FOLDED, EASY TO CARRY
- ALL MASSES MECHANICALLY WRAPPED

APPLICATIONS FFP2V

- METAL PROCESSING
- WASTE DISPOSAL
- MOTOR INDUSTRY
- MINING

APPLICATIONS FFP3V

- BIOLOGICAL AGENTS (MEDICAL)
- FIBRES (MINING/CONSTRUCTION)
- HAZARDOUS POWDERS (PHARMACEUTICAL)



ECLIPSE

FOLDED STYLE RESPIRATOR



SPECTRUM

FOLDED STYLE CARBON IMPREGNATED RESPIRATOR



PLASTIC FILTER CARTRIDGE

COMPATIBLE WITH SPERIAN HALF-MASKS. "CLICK-FIT" SYSTEM FOR SAFE AND SECURE FITMENT. A2

CODE: PSR1001577

ABEK1
CODE: PSR1001581

P1
CODE: PSR1001582

ABEK1P2
ART NO. 1001587

P2 PRE-FILTER
CODE: PSR1002801

PRE-FILTER RETAINER
CODE: PSR1001590



3M

100S

THE 100 SERIES INCLUDES THE EXCELLENT 100V AUTO-DARKENING FILTER THAT PROVIDES UNIFORM SHADING ACROSS THE ENTIRE VIEWING AREA. THE HEADBAND IS DESIGNED TO BE ADJUSTED WITH ONE HAND, ADAPTABLE TO DIFFERENT SHAPED FACES AND HEADS.



3M

ACES HIGH

THE LATEST RANGE OF SPEEDGLAS WELDING SHIELDS IS DESIGNED SPECIFICALLY FOR THE OCCASIONAL WELDER WHO STILL VALUES EXCELLENT PROTECTION, THE LIGHT WEIGHT, USER-FRIENDLY DESIGN IS IDEAL FOR THOSE WHO NEED TO WELD OCCASIONALLY. 3M'S DESIGN TEAM HAS CREATED FIVE UNIQUE VERSIONS OF THE SHIELD.



3M

CODE: PSRS-657

3M POWERED AIR PURIFYING RESPIRATORY SYSTEMS PROVIDE COMFORTABLE, EFFICIENT POWERED AIR PROTECTION. THESE SYSTEMS ARE AVAILABLE IN A WIDE RANGE OF HEADGEAR. THEY USE INTERCHANGEABLE FILTERS, CARTRIDGES AND CANISTERS TO PROTECT THE WEARER AGAINST GASES, VAPOURS AND/OR PARTICULATES.



FFP2V CARBON

CODE: PSR331339

- FEATURES
- HIGH FILTER EFFICIENCY
- CARBON AGAINST UNPLEASANT ODOURS
- LOW BREATHING RESISTANCE
- ADJUSTABLE HEAD HARNESS
- LIGHTWEIGHT, FOLDED, EASY TO CARRY
- ALL MASSES MECHANICALLY WRAPPED

- APPLICATIONS
- WELDING/SOLDERING
- GRADING
- WASTE DISPOSAL
- FIBRES
- MINING/CONSTRUCTION



NEBULA

MOULDED STYLE RESPIRATOR - ADJUSTABLE



DISPOSABLE RESPIRATORS

5000 SERIES BASIC DISPOSABLE RESPIRATOR FOR USE AGAINST SOLID AND OR LIQUID AEROSOLS. INTEGRATED NOSE SEAL FOR ENHANCED COMFORT AND SEAL.

5185 (FFP1)
CODE: PSR1007221

5186 (FFP1 WITH VALVE)
CODE: PSR1007222

2508 (FFP2)
CODE: PSR1007223

5209 (FFP2 WITH VALVE)
CODE: PSR1007224



VALUAIR

ECONOMY THERMOPLASTIC ELASTOMER HALF MASKS COMPATIBLE WITH SPERIAN TWIN FILTER CARTRIDGES.

SILICONE-FREE
MEDIUM
CODE: PSR1001573
LARGE
ART NO. 1001574



3M

CODE: PSR9100

THE 9100 FEATURES A NEW, FLEXIBLE HEAD SUSPENSION THAT CONFORMS TO THE WELDER'S HEAD TO REDUCE PRESSURE IN PRESSURE-SENSITIVE AREAS. THE REVOLUTIONARY DESIGN ALLOWS THE 9100 TO COVER MORE VULNERABLE AREAS, SUCH AS THE EARS AND HOLES OF THE NECK.



3M



3M

BLAZE

THE LATEST RANGE OF SPEEDGLAS WELDING SHIELDS IS DESIGNED SPECIFICALLY FOR THE OCCASIONAL WELDER WHO STILL VALUES EXCELLENT PROTECTION, THE LIGHT WEIGHT, USER-FRIENDLY DESIGN IS IDEAL FOR THOSE WHO NEED TO WELD OCCASIONALLY. 3M'S DESIGN TEAM HAS CREATED FIVE UNIQUE VERSIONS OF THE SHIELD.

SL

AT JUST 360 GRAMS, THIS IS THE SUPER LIGHT, COMFORTABLE, AUTO-DARKENING WELDING SHIELD WELDERS HAVE BEEN HOPING FOR.



R7500 3
7000 SERIES CARTRIDGE
DUST/MIST CARTRIDGE



R7500
DOUBLEDUAL CARTRIDGE RESPIRATOR
A HIGHER EFFICIENCY DUAL CARTRIDGE
HALF MASK RESPIRATOR.
(USE WITH 7000 SERIES CARTRIDGES)



R7500 2
7000 SERIES CARTRIDGE
ORGANIC VAPOUR CARTRIDGE, 30/30/30/30/30



R7400 SINGLE
SINGLE CARTRIDGE RESPIRATOR
A LIGHTWEIGHT AND EASY TO USE
HALF MASK RESPIRATOR. (USE WITH 7000 SERIES
CARTRIDGES)